



Version: 1.0

Completion date: 2023.08.21

Revision date: -Page: 1/10

#### SAFETY DATA SHEET

In accordance with the criteria of Regulation No 1907/2006 (REACH) with further changes

SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

#### 1.1 Product identifier:

Super Aromas American bubble gum Product code: SA-2022186/MBS

### 1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant identified uses: Concentrated flavour mix, for flavouring food, according to the quality specification. Uses advised against: other than above.

### 1.3 Details of the supplier of the safety data sheet:

Supplier: Sobucky Sp. z o.o. Sp.k.

Address: Tomasza Zana 11 A, 20-601 Lublin, Poland

Phone: (+48) 530 900 757

E-mail address of the person responsible for the information card: info@sobucky.com

### 1.4 Emergency telephone number:

112 (general emergency phone number).

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture.

Classification of the mixture in accordance with Regulation (EC) No. 1272/2008:

Flam. Liq. 2, H225 highly flammable liquid or vapour, category 2, H225.

Eye Irrit. 2, H319 eye irritation, category 2, H319.

Skin Sens. 1, H317 skin sensitization, category 1, H317.

Aquatic Chronic 2, H411 environment toxicity, category 2, H411.

#### 2.2 Label elements.

Signal word: DANGER. Pictogram:







Contains terpenes and terpenoids, limonene fraction, d-limonene, eugenol, anethole, I-carvone.

## **Hazard Statements H-phrases:**

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

**Sobucky Sp. z o.o. Sp.k.** T. Zana 11 A, 20-601 Lublin, Poland VAT: 9462647775 | REG: 061660677



Revision date: -Page: 2/10

### **Precautionary statements P-phrases:**

P273 Avoid release to the environment.

P280 Wear protective gloves / protective clothing / eye protection / face protection.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P403 + P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents / container to an approved waste disposal plant.

## 2.3 Other hazards.

This mixture does not met the criteria for persistent, bioaccumulative and toxic or very persistent and very bioaccumulative in accordance with Annex XIII. This mixture and its ingredients are not included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, and they are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain SVHC substances  $\geq$  0,1%.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances.

Not applicable.

#### 3.2 Mixtures.

Hazardous components:

Component	CAS No.	EINECS No.	w/w %	Index No./	Classification according
				REACH No.	to the Regulation (EC) No 1272/2008
Propylene	57-55-6	200-338-0	< 56,5 %	none/ 01-	Not classified
glycol				2119456809-23-	
				XXXX	
Ethanol	64-17-5	200-578-6	< 35,5 %	603-002-00-5/	Flam. Liq. 2, H225;
				not applicable	Eye Irrit. 2, H319
Terpenes and	65996-98-7	266-034-5	< 4,9 %	none/not	Flam. Liq. 3, H226
terpenoids,				applicable	Asp. Tox. 1, H304
limonene					Skin Irrit. 2, H315
fraction					Skin Sens. 1, H317
					Aquatic Acute 1, H400
					M Acute = 1
					Aquatic Chronic 1, H410
					M Chronic = 1
Ethyl butyrate	105-54-4	203-306-4	< 1,2 %	none/01-	Flam. Liq. 3, H226;
				120118576- 54-	Eye Irrit. 2, H319
				XXXX	
D-limonene	5989-27-5	227-813-5	< 1,1 %	601-096-00-2/01-	Flam. Liq. 3, H226;
				2119493353-35-	Asp. Tox. 1, H304
				XXXX	Skin Sens. 1B, H317;
					Skin Irrit. 2, H315,
					Aquatic Acute 1 H400; M=1
					Aquatic Chronic 3 H412







Version: 1.0

Completion date: 2023.08.21

Revision date: -Page: 3/10

Eugenol	97-53-0	202-589-1	< 0,45 %	none/01- 2119971802-33- XXXX	Eye Irrit. 2, H319; Skin Sens. 1B, H317
Allyl hexanoate	123-68-2	204-642-4	< 0,45 %	none/not applicable	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Aquatic Acute 1 H400; M=1; Aquatic Chronic 3 H412; inhalation: ATE = 0,5 mg/L (dusts or mists); skin: ATE = 300 mg/kg bw. oral: ATE = 100 mg/kg bw.
Anethole	4180-23-8	224-052-0	< 0,45 %	none/not applicable	Skin Sens. 1B, H317
L- carvone	6485-40-1	229-352-5	< 0,45 %	606-148-00-8/not applicable	Skin Sens. 1, H317

Full text of H - phrases in section 16.

#### **SECTION 4: FIRST AID MEASURES**

The usual precautions for handling chemicals should be applied. In case of any symptoms of concern – call medical help. NEVER induce vomiting in an unconscious person.

# 4.1 Description of first aid measures.

INHALANTION: Remove from exposure to fresh air immediately. In case of lack of breathing, apply artificial respiration.

Get medical aid if cough or other symptoms appear.

SKIN CONTACT: Wash with water and soap. Remove contaminated clothes. If irritation persists or any tissue damage

effect is apparent, obtain medical advice.

INGESTION: If swallowed accidentally, do not induce vomiting. Rinse mouth with water. Obtain medical attention.

EYE CONTACT: Immediately wash out with plenty of water for at least 15 minutes, also under the eyelids. If irritation

persists consult with an ophthalmologist.

# 4.2 Most important symptoms and effects, both acute and delayed.

No data available.

# 4.3 Indication of any immediate medical attention and special treatment needed.

Physician makes a decision regarding further medical treatment after thoroughly examination of the injured.

#### **SECTION 5: FIREFIGHTING MEASURES**

5.1 Extinguishing media.

Extinguishing media: Foam, water mist, water with the addition of water film forming agent, halons,

carbon dioxide or dry agent.

Inadvisable: Direct water jet.

**Sobucky Sp. z o.o. Sp.k.** T. Zana 11 A, 20-601 Lublin, Poland VAT: 9462647775 | REG: 061660677



Version: 1.0 Completion date: 2023.08.21 Revision date: -

Page: 4/10

### 5.2 Special hazards arising from the substance or mixture.

Fire may produce dense black smoke containing carbon oxides. Combustion products can be hazardous and pose a health risk. Use respiratory protection.

# 5.3 Advice for firefighters.

Personal protection typical in case of fire. Wear suitable respiratory equipment. Cool down containers with water from safe distance to prevent bursting and if possible removed from the affected area. Do not allow extinguishing agent to enter drainage ditches, sewers, basements and trenches.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1 Personal precautions, protective equipment and emergency procedures.

### For non-emergency personnel:

Limit the access for the outsiders into the breakdown area, until the suitable cleaning operations are completed. In case of large spills, isolate the exposed area. Ensure adequate ventilation. Avoid contact with skin and eyes. Avoid contact with spilled material. Danger of slipping, do not passed through spilled material. Wear adequate personal protective equipment (overalls, rubber gloves, safety glasses and half mask with AX filter). Do not allow the product to get into mouth.

#### For emergency responders:

If specialised clothing is required to deal with the spillage, take note of any information in Section 8. Suitable and unsuitable materials See Section 10.5. See also the information in "For non-emergency personnel".

### 6.2 Environmental precautions.

In case of release of large amounts of the product, it is necessary to take appropriate steps to prevent it from spreading into the environment. Notify relevant emergency services. Protect drain wells against getting the mixture into the water and sewage system.

# 6.3 Methods and material for containment and cleaning up.

Remove all sources of ignition. Secure damaged packaging. Soak up with liquid-binding material (e.g. sand, universal binding agent, diatomaceous earth). Collect spilled material in containers. Disposal in accordance with the local legislation. Small amounts of the remaining mixture should be flushed down the drain with plenty of water. Clean the contamination place with detergents.

# 6.4 References to other sections.

Always use personal protection in accordance with the guidelines given in section 8. Collect the collected liquid - together with contaminated sorbents, sand and other equipment used to clean up the spill - dispose of in accordance with the recommendations given in section 13.

### **SECTION 7: HANDLING AND STORAGE**

#### 7.1 Precautions for safe handling.

Handle in accordance with good occupational hygiene and safety practices. Avoid contact with skin and eyes. Do not inhale vapours. Ensure adequate ventilation. Before break and after work wash carefully hands. Keep not used containers tightly closed. Do not allow the product to get into mouth and eyes. Vapours are heavier than air. They can accumulate near the ground and form explosive mixtures with air. Precautions should be taken to prevent the generation of explosive or flammable vapor concentrations and concentrations higher than the occupational exposure limit. Protect against the accumulation of electrostatic







Revision date: -Page: 5/10

charges with grounding. The mixture can become electrostatically charged; use grounding when pouring. Use antistatic clothing and footwear; floors should be made of non-conductive material. Use the mixture in rooms where there are no open flames or other sources of ignition; electrical equipment should be protected. Keep containers tightly closed and away from sources of heat, sparks and flames. Do not use tools that can create sparks. Do not smoke. Protect against access by unauthorized personnel.

### 7.2 Conditions of safe storage, including any incompatibilities.

Keep containers tightly closed in cool, dry and well-ventilated area. Keep away from food, beverages or feed for animals. After opening, seal the container and store in an upright position to prevent leakage. Keep away from strong oxidizing agents, concentrated acids and bases. Prevent access by unauthorized persons. Avoid heat and ignition sources. Keep away from direct sunlight. Tightly seal unused container. Store at 5-25 °C. The floor must be impermeable and form a collecting basin so that in the event of an accidental spill, the liquid cannot escape beyond this area.

### 7.3 Specific end use(s).

No information about the applications other than those listed in subsection 1.2.

### **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

#### 8.1 Control parameters.

 Component
 CAS
 OSHA PEL 8-hour TWA
 NIOSH REL Up to 10-hour TWA
 CAL/OSHA PEL 8-hour TWA

 ethanol
 64-17-5
 1000 ppm (1900 mg/m³)
 1000 ppm (1900 mg/m³)
 1000 ppm (1900 mg/m³)

 isoamyl acetate
 123-92-2
 100 ppm (525 mg/m³)
 100 ppm (525 mg/m³)
 50 ppm (266 mg/m³)

# 8.2 Exposure controls.





<u>Control procedure:</u> The personal protective equipment used should be clean and in good condition. Store personal protective equipment in a clean place away from the work area. Do not eat, drink or smoke when using. Remove contaminated clothing and wash it before reuse. Ensure the right one ventilation, especially in enclosed spaces.

<u>Respiratory protection:</u> Under normal use respirator is not required. However, if applied under circumstances where a mist is likely to appear handle using a fume cupboard or use engineering control system allowing an exhausted air to be mechanically removed from the working area.

Personal protection: Precautions to avoid contact with skin and eyes are advisable when handling the product.

<u>Hand and body protection</u>: Wear appropriate gloves to prevent skin exposure. Protective gloves should be selected depending on the workstation, taking into account: other chemicals that may be used, necessary protection against physical hazards (cutting, puncture, thermal protection), required ease of manipulation. Type of gloves recommended: Nitrile rubber (butadiene/acrylonitrile copolymer). Avoid skin contamination. Wear appropriate protective clothing.

**Eye protection:** Wear safety glasses with side shields.

Industrial hygiene: Change contaminated clothing. Wash hands after work with the product.

Environmental exposure controls: Do not allow the mixture to contaminate surface water/ground water.



Version: 1.0

Completion date: 2023.08.21

Revision date: -Page: 6/10

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1 Information on basic physical and chemical properties.

Appearance: liquid

Colour: colourless to dark orange

Odour: bubble gum
Melting point/freezing point: no data

Boiling point or initial boiling point and boiling range > 35 °C

Flammability: flammable

Lower and upper explosion limit: 17,4%/2,4% (for propylene glycol) Flash point:  $22 \, ^{\circ}\text{C}$  /the closed-cup method/

Auto-ignition temperature: no data

Decomposition temperature: does not apply pH value: no data

Kinematic viscosity: no data Solubility in water: yes

Partition coefficient n-octanol/water (log value): does not apply

Vapour pressure: 20 Pa (for propylene glycol) Density and/or relative density: 0,935 g/cm³ (at 20 °C)

Relative vapour density: no data
Particle characteristics: does not apply

# 9.2 Other information.

Lack of other information.

### **SECTION 10: STABILITY AND REACTIVITY**

### 10.1 Reactivity.

Not reactive. The mixture is chemically stable and does not pose a reactivity hazard.

### 10.2 Chemical stability.

Mixture is stable under proper storage conditions.

### 10.3 Possibility of hazardous reactions.

When exposed to high temperatures, the mixture may release hazardous decomposition products such as oxide and dioxide carbon, fumes, nitric oxide.

#### 10.4 Conditions to avoid.

Keep away from heat and sources of ignition, electrical charges.

### 10.5 Incompatible materials.

Lack of incompatible materials. It is recommended to store the product in its original packaging.

### 10.6 Hazardous decomposition products.

No data.

Sobucky Sp. z o.o. Sp.k.
T. Zana 11 A, 20-601 Lublin, Poland

VAT: 9462647775 | REG: 061660677



Revision date: -Page: 7/10

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008.

Acute toxicity:

Based on the available data, the classification criteria are not met.

Skin corrosion / irritation:

Based on the available data, the classification criteria are not met.

Serious eye damage / irritation: Causes serious eye irritation.

Respiratory or skin sensitization: May cause an allergic skin reaction.

Germ cell mutagenicity:

Carcinogenicity:

Based on the available data, the classification criteria are not met.

Based on the available data, the classification criteria are not met.

Based on the available data, the classification criteria are not met.

Based on the available data, the classification criteria are not met.

Based on the available data, the classification criteria are not met.

Based on the available data, the classification criteria are not met.

Based on the available data, the classification criteria are not met.

Based on the available data, the classification criteria are not met.

Based on the available data, the classification criteria are not met.

<u>Toxicological properties of hazardous substances in the mixture:</u>

Allyl hexaonate:

inhalation: ATE = 0,5 mg/L (dusts or mists);

skin: ATE = 300 mg/kg bw. oral: ATE = 100 mg/kg bw. Acute effect of the mixture:

Eye irritation: May cause slight irritation to eyes. Skin irritation: May cause slight irritation to skin.

Swallowed: May cause gastro-intestinal irritation with nausea and vomiting.

### 11.2. Information on other hazards.

Product not identified as having endocrine disrupting properties. No other data available.

CIRC (International Center for Cancer Research) monograph(s):

CAS 140-11-4: IARC Group 3: Substances not classifiable as to their carcinogenicity to humans.

CAS 123-35-3: IARC Group 2B: Possibly carcinogenic to humans.

CAS 97-53-0 : IARC Group 3 : Substances not classifiable as to their carcinogenicity to humans. CAS 5989-27-5 : IARC Group 3 : Substances not classifiable as to their carcinogenicity to humans.

CAS 64-17-5: IARC Group 1: Carcinogenic to humans.

#### **SECTION 12: ECOLOGICAL INFORMATION**

Prevent the product from entering the sewage system or water reservoirs.

## 12.1 Toxicity.

The mixture has not been tested. Based on available data mixture has been classified as hazardous to the environment. Toxic to aquatic life with long lasting effects. (H411).

Ecotoxicity data for hazardous substances in the mixture:

d-limonen

LC50:96h (Pimphales promelas): 0.7 mg/l EC50:48h (Daphnia magna): 0.4 mg/l

12.2 Persistence and degradability.

Propylene glycol: 81% after 28 days of the OECD 301F test

96% after 64 days of the OECD 301F test

Sobucky Sp. z o.o. Sp.k.

T. Zana 11 A, 20-601 Lublin, Poland VAT: 9462647775 | REG: 061660677 sobucky.com | b2b.sobucky.com info@sobucky.com | Feed your senses



Revision date: -Page: 8/10

Biodegradation may proceed slowly in anaerobic conditions

Biodegradation in water - screening tests: Readily biodegradable (100 %).

### 12.3 Bioaccumulative potential.

For mixture - no data available

Propylene Glycol:

Possibility of bioconcentration is low (BCF <100 or log Pow <3) breakdown factor, n-octanol/water (log Pow):

-1.07 @ 20.5 °C and pH 6.2 - 6.4 method EU A.8 Bioconcentration factor: 0,09.

Bioaccumulation potential: No bioaccumulation potential.

#### 12.4 Mobility in soil.

Product mobile in soil and in water. Mobility of components in the mixture depends on the hydrophilic and hydrophobic properties and conditions of biotic and abiotic soil, including its structure, climatic conditions, seasons and soil organisms.

#### 12.5 Results of PBT and vPvB assessment.

The substances in the mixture do not meet the criteria for classification as PBT or vPvB in accordance with Annex XIII REACH.

# 12.6 Endocrine disrupting properties.

Product not identified as having endocrine disrupting properties.

#### 12.7 Other adverse effects.

No data available.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods.

Product: Do not empty into drains. This material and its container must be disposed of in a safe way.

Disposal should be in accordance with local, state or national legislation.

Flammable mixture. Do not pour the mixture into the sewage system. In order to remove used packaging and waste mixture, contact an authorized waste disposal company.

#### **SECTION 14: TRANSPORT INFORMATION**

14.1 UN number or ID number.

1197

14.2 UN proper shipping name.

EXTRACTS, LIQUID

14.3 Transport hazard class(es).

2

14.4 Packing group.

п

### 14.5 Environmental hazards.

Toxic to aquatic life with long lasting effects. (H411).

### 14.6 Special precautions for user.

Please check regulation for detailed information.

### 14.7 Maritime transport in bulk according to IMO instruments.

Not applicable.

**Sobucky Sp. z o.o. Sp.k.**T. Zana 11 A, 20-601 Lublin, Poland
VAT: 9462647775 | REG: 061660677

sobucky.com | b2b.sobucky.com info@sobucky.com | Feed your senses



Revision date: -Page: 9/10

#### SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance and mixture.

**Regulation (EC) No 1907/2006** of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

**Regulation (EC) No 1272/2008** of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Text with EEA relevance).

**COMMISSION REGULATION (EU) 2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) **Classification of dangerous goods** according to the European Agreement concerning the international carriage of goods by road hazardous (ADR). European directive on waste.

### 15.2. Chemical safety assessment.

Chemical safety assessment was not performed for this mixture.

#### **SECTION 16: OTHER INFORMATION**

Version: 1.0

STEL : Short-term exposure limit TWA : Time Weighted Averages

PBT: Persistent, Bioaccumulative and Toxic. vPvB: Very persistent and very bioaccumulative.

SVHC: Substances of Very High Concern.

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulations. The information contained herewith is based on the present state of our knowledge and is intended to describe our product from the point of view of safety requirements. It does not guarantee any specific properties. It does not assure any safe conditions of work if used out of line of normal handling or inconsistently with normal ways of application and occupational practices.

Classification according to Regulation (EC) No. 1272/2008	Classification procedure	
Flam. Liq. 2, H225	Based on research	
Aquatic Chronic 2, H411	Calculation method	
Eye Irrit. 2, H319	Calculation method	
Skin Sens. 1, H317	Calculation method	

#### **Hazard Statement Code(s)**

H225 Highly flammable liquid and vapor.

H226 Flammable liquid and vapor.

H301 Toxic if swallowed.

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin.

H315 Causes skin irritation.





Revision date: -Page: 10/10

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic organisms with long lasting effects.